



VETERINARY GENETICS LABORATORY  
SCHOOL OF VETERINARY MEDICINE  
ONE SHIELDS AVENUE  
DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211  
FAX: (530) 752-3556

## GBED REPORT

SUSAN WATKINS 6068 S STATE ROAD 1 HAMILTON, IN 46742		<b>Case:</b> <b>GBE863</b> <b>Date Received:</b> 12-Jan-2012 <b>Report Date:</b> 25-Jan-2012 <b>Report ID:</b> 8050-0346-8394-8100 Verify report at <a href="https://www.vgl.ucdavis.edu/myvgl/verify.html">https://www.vgl.ucdavis.edu/myvgl/verify.html</a>
<b>Horse: THE GOOD RANGER</b> <b>YOB: 03</b> <b>Breed: QH</b> <b>Sex: S</b> <b>Alt. ID:</b>		<b>Reg: 4411768</b>
<b>Sire: ZIPPOS MR GOOD BAR</b> <b>Dam: SONNYS SILVER SKIP</b>		<b>Reg: 2259600</b> <b>Reg: 2496233</b>

## GBED Test Result

N/N

### Result Codes:

- G/G      Affected - Homozygous for GBED (two copies of the GBED gene).  
 N/G      Carrier - Heterozygous (one normal and one GBED gene).  
 N/N      Normal - Does not possess the disease-causing GBED gene.

The condition is inherited as a recessive trait. This means that breedings between two carrier (N/G) horses have a 25% chance of producing an affected foal (G/G). Affected foals usually die at a young age or will need to be euthanized due to weakness. Breedings between carrier and normal (N/N) horses produce only normal foals but 50% of these are expected to be carriers.